

L Number	Hits	Search Text	DB	Time stamp
1	1753	piston adj pin	USPAT	2004/06/02 13:14
2	3891	(piston adj pin) (pin near (smaller or larger))	USPAT	2004/06/02 13:15
3	12715	((piston adj pin) (pin near (smaller or larger))) ((center or central or middle or intermediate) near pin)	USPAT	2004/06/02 13:15
4	78	(piston adj pin) and ((center or central or middle or intermediate) near pin)	USPAT	2004/06/02 13:16
5	19	((piston adj pin) and ((center or central or middle or intermediate) near pin)) and ((center or central or middle or intermediate) with (smaller or larger))	USPAT	2004/06/02 13:31
6	9	("1489111"   "1491155"   "1772187"   "2100525"   "2722049"   "3479929"   "3489442"   "3943908"   "5367945").PN.	USPAT	2004/06/02 13:21
7	7	1491155.URPN.	USPAT	2004/06/02 13:24
8	3	5661904.URPN.	USPAT	2004/06/02 13:26
9	11	("1489111"   "1491155"   "1684862"   "1772187"   "2043013"   "2100525"   "2851319"   "3479929"   "3943908"   "3971355"   "5367945").PN.	USPAT	2004/06/02 13:27
10	4	5549034.URPN.	USPAT	2004/06/02 13:30
11	0	(connecting adj rod) near (phosphatized)	USPAT	2004/06/02 13:31
12	2	(connecting adj rod) with (phosphat? near (coat or coating))	USPAT	2004/06/02 13:34
13	6	(rod) with (phosphat? near (coat or coating))	USPAT	2004/06/02 13:38
14	1	((piston adj pin) and ((center or central or middle or intermediate) near pin)) and ((center or central or middle or intermediate) with (smaller or larger))) and coating	USPAT	2004/06/02 13:47
15	27	phosphatized near coating	USPAT	2004/06/02 14:06
16	0	(pin adj bore) with (relief adj channels)	USPAT	2004/06/02 14:07
17	0	(pin adj bore) same (relief adj channels)	USPAT	2004/06/02 14:07
18	13	(pin adj bore) with (channels)	USPAT	2004/06/02 14:07
19	0	((pin adj bore) with (channels)) and ((piston adj pin) or (wrist adj pin))	USPAT	2004/06/02 14:08
20	498	((piston adj pin) or (wrist adj pin)) with bore	USPAT	2004/06/02 14:08
21	270942	((piston adj pin) or (wrist adj pin)) with bore) (bore with channels or grooves)	USPAT	2004/06/02 14:08
22	267	((piston adj pin) or (wrist adj pin)) with bore) and (bore with channels or grooves)	USPAT	2004/06/02 14:10
23	8	((piston adj pin) or (wrist adj pin)) with bore) and (bore with channels)	USPAT	2004/06/02 14:26
24	11	US-0448766-\$.DID. OR US-0491974-\$.DID. OR US-2202773-\$.DID. OR US-3935797-\$.DID. OR US-4430906-\$.DID. OR US-4974498-\$.DID. OR US-5158695-\$.DID. OR US-5255592-\$.DID. OR US-5257603-\$.DID. OR US-5352541-\$.DID. OR US-5592927-\$.DID.	USPAT	2004/06/02 14:28
25	3	(US-0448766-\$.DID. OR US-0491974-\$.DID. OR US-2202773-\$.DID. OR US-3935797-\$.DID. OR US-4430906-\$.DID. OR US-4974498-\$.DID. OR US-5158695-\$.DID. OR US-5255592-\$.DID. OR US-5257603-\$.DID. OR US-5352541-\$.DID. OR US-5592927-\$.DID.) and phosphat?	USPAT	2004/06/02 14:29

26	6	US-5836280-\$.DID. OR US-RE37565-\$.DID. OR	USPAT	2004/06/02
		US-6446436-\$.DID. OR US-6491013-\$.DID. OR		14:54
27	10	US-6497771-\$.DID. OR US-6557457-\$.DID.	USPAT	2004/06/02
		("1356695"   "1508079"   "1939959"		14:34
		"2341592"   "2966382"   "3307456"		
		"3971355"   "4256022"   "4354426"		
		"4727795").PN.		
28	10	("1356695"   "1508079"   "1939959"	USPAT	2004/06/02
		"2341592"   "2966382"   "3307456"		14:35
		"3971355"   "4256022"   "4354426"		
		"4727795").PN.		
29	0	RE37565.URPN.	USPAT	2004/06/02
				14:37
30	0	RE37565.URPN.	USPAT	2004/06/02
				14:37
31	0	RE37565.URPN.	USPAT	2004/06/02
				14:37
32	7	tapered near (connecting adj rod)	USPAT	2004/06/02
				14:55
33	0	taper? near (connecting adj rod)	USPAT	2004/06/02
				14:55
34	16	taper? with (connecting adj rod)	USPAT	2004/06/02
				14:57
35	88436	123/\$.ccls.	USPAT	2004/06/02
				14:57
36	29	123/\$.ccls. and ((taper or tapering or	USPAT	2004/06/02
		tapered or tapers) with (connecting adj		15:41
		rod))		
37	154	123/197.3.ccls.	USPAT	2004/06/02
				15:02
38	319	123/197.4.ccls.	USPAT	2004/06/02
				15:04
39	775	123/193.6.ccls.	USPAT	2004/06/02
				15:05
40	279	123/193.6.ccls. and (connecting adj rod)	USPAT	2004/06/02
				15:41
41	399	92/187.ccls.	USPAT	2004/06/02
				15:42
42	0	92/187.ccls. and ((taper or tapering or	USPAT	2004/06/02
		tapered or tapers) near pin)		15:42
43	14	92/187.ccls. and (reduced adj diameter)	USPAT	2004/06/02
				15:42
44	113	92/223.ccls.	USPAT	2004/06/02
				15:42

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**